


**MIMIC**


w.e.f. 1.8.2019

**Price List - 22.5 mm cutout Buzzer Cum Flasher Lamp**

<b>Details</b>	<b>Economy</b>	<b>Standard</b>	<b>Legend</b>
	<b>AC</b>	<b>AC</b>	<b>AC</b>
			
Buzzer Cum Flasher Red,Amber,Green	439	476	490
For other colour extra	26	26	26
Continuous buzzer with steady indication	475		

# MIMIC Electronic Hooter 96 x 96 & 72 x 72 Price list , w.e.f. : 25.5.2021

Operating voltage : 12VDC, 24VAC/DC, 110VAC, 230VAC

Model	Details	Price	
GN0	Wobbling tone Plain	1029	
EN0	single tone	1029	
EN1	2 tone 1) Plain 2) Double tone, selectable	1393	
For 90 - 270 VAC/DC - 500 Rs. Extra for all models			
EN3	2 tone 1) Plain 2) Double, Audio accept Flashing LED at front, steady after accept	1480	
EN3VC	EN3 Hooter with volume control	1697	
EN4	3 tone 1) Plain 2) Double 3)Wobbling, Audio accept Flashing LED at front, steady after accept	1580	
For 90 - 270 VAC/DC - 500 Rs. Extra for all models			
EN5	3 tone 1) Plain 2) Double 3)Wobbling, Audio accept Flashing beacon on top, steady after accept	2302	
EN5VC	EN5 Hooter with volume control	2404	
For 90 - 270 VAC/DC - 500 Rs. Extra for all models			
EN6PB	EN6 with external non illuminous push button	2606	
EN6PBI	EN6 with external illuminous push button	2708	
<b>ACCESSORIES</b>			
	Wall Mounting & Foot Mounting	112	
	Horn	224	

## "M" SERIES HOOTER, BUZZER & RINGER

"M" SERIES HOOTER 22.5MM (MH)  
12VDC, 24V AC/DC, 110VAC, 230VAC

MODEL

PRICE

"M" SERIES HOOTER WITH HORN

818

ILLUMINOUS P.B STEADY & FLASHER INDICATION (Additional)

480

CANCELLATION WITH FLASHER INDICATION (Additional)

320

CLAMP (Additional)

48

WITH BEACON(STEADY + FLASHER) (Additional)


743

CANCELLATION PUSH BUTTON WITHOUT INDICATION (Additional)

120

DB LEVEL

105 dB



"M" SERIES BUZZER / RINGER 22.5MM (MB) / (MR)  
12VDC, 24V AC/DC, 110VAC, 230VAC

MODEL

PRICE

"M" SERIES BUZZER/RINGER 12VDC, 24VAC/DC, 110VAC, 230VAC

464

CANCELLATION WITH FLASHER INDICATION (Additional)

320

ILLUMINOUS P.B STEADY & FLASHER INDICATION (Additional)

480

CLAMP (Additional)

48

WITH BEACON(STEADY + FLASHER) (Additional)

743

CANCELLATION PUSH BUTTON WITHOUT INDICATION (Additional)

220


DB LEVEL BUZZER

100 dB

DB LEVEL RINGER

92 dB

### ACCESSORIES



"M" SERIES HOOTER 22.5MM (MH)  
12VDC, 24V AC/DC, 110VAC, 230VAC

MODEL

PRICE

"M" SERIES HOOTER

618

ILLUMINOUS P.B STEADY & FLASHER INDICATION (Additional)

480

CANCELLATION WITH FLASHER INDICATION (Additional)

320

CLAMP (Additional)

48

WITH BEACON(STEADY + FLASHER) (Additional)

743

CANCELLATION PUSH BUTTON WITHOUT INDICATION (Additional)

120

DB LEVEL

96 dB



"M" SERIES BUZZER / RINGER WITH HORN 22.5MM (MB) / (MR)  
12VDC, 24V AC/DC, 110VAC, 230VAC

MODEL

PRICE

"M" SERIES BUZZER / RINGER WITH HORN

664

CANCELLATION WITH FLASHER INDICATION (Additional)

320

ILLUMINOUS P.B STEADY & FLASHER INDICATION (Additional)

480

CLAMP (Additional)

48

WITH BEACON(STEADY + FLASHER) (Additional)

743

CANCELLATION PUSH BUTTON WITHOUT INDICATION (Additional)

120

DB LEVEL BUZZER

110 dB

DB LEVEL RINGER

100 dB